Product datasheet

HNS 36 W G13

PURITEC HNS UV-C | UV-C lamps for purification

Areas of application

- Efficient disinfecting of air, water and surfaces

Product family benefits

- Effective and environment-friendly disinfection without chemicals
- Low mercury content
- Long lifetime due to specific coating
- Ozone-free

Product family features

- Dominant wavelength: 254 nm (OFR version)

Intelligent LED Solutions, Unit 2, Berkshire Business Centre, Berkshire Drive, Thatcham, Berkshire, RG19 4EW
Telephone: +44 (0)1635 294606 Email: info@i-led.co.uk Web: www.i-led.co.uk
A division of Intelligent Group Solutions Ltd

Technical data

Product information

Order reference	HNS 36W G13

Electrical data

Nominal voltage	103 V
Lamp voltage	103 V
Construction voltage	103.00 V
Nominal current	0.44 A
Lamp current	0.44 A
Nominal wattage	36.00 W

Photometrical data

Luminous intensity	7800 cd
Radiated power 200...280 nm (UVC)	15 W

Dimensions & weight



Diameter	26.0 mm
Length	1200 mm

Lifespan

Lifespan	9000 h

Additional product data

Base (standard designation)	G13

Capabilities

Dimmable	No

Intelligent LED Solutions, Unit 2, Berkshire Business Centre, Berkshire Drive, Thatcham, Berkshire, RG19 4EW
Telephone: +44 (0)1635 294606 Email: info@i-led.co.uk Web: www.i-led.co.uk
A division of Intelligent Group Solutions Ltd

© 2020, OSRAM GmbH. All rights reserved.

Burning position	Any

Country specific categorizations

Order reference	HNS 36W G13

Intelligent LED Solutions, Unit 2, Berkshire Business Centre, Berkshire Drive, Thatcham, Berkshire, RG19 4EW
Telephone: +44 (0)1635 294606 Email: info@i-led.co.uk Web: www.i-led.co.uk
A division of Intelligent Group Solutions Ltd

© 2020, OSRAM GmbH. All rights reserved.

Safety advice

PURITEC germicidal lamps emit high-intensity UV radiation that can cause sunburn and conjunctivitis. The skin and eyes must therefore not be exposed to direct or reflected unfiltered radiation.

Detail

Detail

Detail

Detail

Detail

Detail

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899084018	HNS 36 W G13	Sleeves 1	1210 mm x 28 mm x 27 mm	0.91 dm³	166.00 g
4052899103382	HNS 36 W G13	Shipping carton box 25	1243 mm x 154 mm x 157 mm	30.05 dm³	5258.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

INTELLIGENT LED SOLUTIONS

Intelligent LED Solutions, Unit 2, Berkshire Business Centre, Berkshire Drive, Thatcham, Berkshire, RG19 4EW
Telephone: +44 (0)1635 294606 Email: info@i-led.co.uk Web: www.i-led.co.uk
A division of Intelligent Group Solutions Ltd

© 2020, OSRAM GmbH. All rights reserved.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Intelligent LED Solutions, Unit 2, Berkshire Business Centre, Berkshire Drive, Thatcham, Berkshire, RG19 4EW
Telephone: +44 (0)1635 294606 Email: info@i-led.co.uk Web: www.i-led.co.uk
A division of Intelligent Group Solutions Ltd

© 2020, OSRAM GmbH. All rights reserved.